

No.1 Development Enclave, Rao Tula Ram Marg, Delhi Cantt, New Delhi - 110 010

Ph. No., 26717983 Ext:305/312 Email: estatecell.MP-IDSA@yahoo.com

MP-IDSA/A/BM/VOL-1/2021

Date:

April 2022

QUOTATION FOR RENOVATION/RECHARGE OF RAIN WATER HARVESTING TANK

Quotations are invited under single bid system from bonafide and experienced Firm/ Contractor for "Renovation/recharge of Rain water harvesting tank" at MP-MP-IDSA premises located at No. 1 Development Enclave, Rao Tula Ram Marg, Delhi Cantt, New Delhi -110 010 as per details given in formats.

Detailed Tender Documents are available from the date of tender publication at www.idsa.in. The bidders should download and then send duly signed tender form and their bids along with scanned copies of all the relevant certificates, documents etc. in support of their, latest by 04th May 2022 by 1500 hrs. Hard copies of the relevant documents to be submitted along with (1) Demand Draft for Rs. 2000/- (Rupees Two thousand only) in favour of "IDSA" payable at New Delhi as Earnest Money Deposit and (2) all documents signed and stamped, which shall be submitted in sealed cover addressed to the Assistant Director, MP-Institute for Defence Studies and Analyses, may be sent at the Institute's address mentioned above either by Speed Post / By hand delivery at Tender Box kept at the reception office, should reach on or before 1500 hrs, 04th May 2022 duly mentioning on top right hand corner of the sealed envelope "EMD and any other supporting documents for "Renovation/recharge of Rain water harvesting".

All the tenders are to be submitted on the prescribed forms, as enclosed, duly signed, stamped and dated on each page of tender and Annexures as their unconditional and explicit concurrence to the terms and conditions laid down by the Institute.

The bids shall be opened in presence of the bidders or their authorized representative, not more than one person, may be present at the time of opening of the bids, if they desire.

MP-IDSA reserves the right to accept or reject any or all quotations including the lowest bidder without assigning any reason at its sole discretion and the decision of the MP-IDSA will be final and binding to all concerned.

Critical Dates of Tender:

(i) Publish Date & Time

(ii) Document Download Start Date &Time

(iii) Bid Submission Start Date & Time

(iv) Bid Submission End Date & Time

(v) Offline submission, EMD, and other supporting documents

(vi) Bid Opening Date & Time

(vii) Cost of Tender

13/04/2022, 11:00 hrs

13/04/2022, 11:30 hrs 13/04/2022, 12:00 hrs

04/0F/2022, 15:00 hrs


04/0万2022, 15:00 hrs

04/05/2022, 15:30 hrs

Free of cost

Note: Contractor may inspect the Campus & assess its requirement before bidding the tender.

Col. Rajeev Agarwal (Retd.) Assistant Director (Admin)




QUOTATION FOR RENOVATION/RECHARGE OF RAIN WATER HARVESTING TANK MEMORANDOM OF WORK IN BRIEF

1	Name of work	Renovation/recharge of Rain water harvesting tank
2.	Cost of Document	Free of Cost
3	Earnest Money	Rs.2000/-
4.	Validity period	30 days
7.	Publish Date & Time	13.04.2022 by 1100 hrs
8.	Submission Start Date & Time	13.04.2022 by 1130 hrs
9.	Site visit	13.04.2022 on all working day between 1100 hrs to 1530 hrs till submission end date.
10.	Tender Submission End	04.05.2022 by 1500 hrs.
11.	Tender Opening Date	04.05.2022 by 1530 hrs.
12.	Mode of Sending	EMD and relevant documents of In sealed cover by Speed post/Hand Delivery in the tender box kept at reception.

Signature of bidder Name:

Company seal Date



RENOVATION/RECHARGE OF RAIN WATER HARVESTING

Quotation are invited for the work as mentioned above and scope of work and terms & Conditions of the order shall be as follows: -

- Time Schedule: The work shall be completed within 30 days from the date of award.
 A sum of Rs 500 per day will be charged for delay in completion of work. Director General, decision in this regard shall be final and binding.
- Execution of Work: The work shall be executed in best workman like manner, to the entire satisfaction of the Institute.
- 3. **Unit Price:** Unit rates quoted for the work shall be deemed to include for all material, labour, tools and accessories, as required for proper execution of work complete in all respects. Any missing minor details which are not spelt out in the description of items but are required for proper completion of work shall be deemed to have been taken into account in the quoted rates. The rates shall also include for transportation including price escalations, contractor's overheads and profits including GST. Nothing extra shall be admissible on any such account.
- Approval of Material and Workmanship: The materials which stand rejected shall be removed from the site forthwith and replaced with approved materials at no extra cost.
- 5. **Defect Liability: The** work completed shall have defect liability period of 12 months or two rainy seasons whichever is earlier from the certified date of completion. The contractor shall re-do the work, wherein defects have developed during this period under the direction of the Estate cell, at no extra cost.
- 6. **Delivery of Materials/Items and Completion:** Inspection of the finished work will be carried out by the representative of MP-IDSA. The work shall be completed to the entire satisfaction of the Institute. On completion of the work, the contractor shall inform the Estate cell in writing with the date of physical completion of work for final approval for issue of completion certificate.
- 7. No material will be issued by the department. All materials for the work as per scope of work if required will be procured/arranged by the contractor at his own cost.
- 8. Submission of quotation: Quotation shall be signed on all pages along with this letter in token of the acceptance of terms and conditions mentioned herein-before, should be submitted in sealed covers duly marked quotation for "Renovation/recharge of Rain water harvesting" addressed to Assistant Director, MP-IDSA, so as to reach on

or before 1500 hrs on 04th May 2022.

- allowed by the 9. Upon acceptance of the quote, no subletting/transfer would be Institute.
- Earnest Money Deposit: Bidders shall deposit Earnest Money Deposit (EMD) along with their bids. While submitting the bid, the vendor shall deposit Earnest Money 10. of Rs. 2000/- by demand draft "IDSA" payable at New Delhi. No other mode of remittance shall be accepted. EMD is to remain valid for a period of 90 days beyond the final bid is accepted. EMD of the unsuccessful bidders will be returned to them at the earliest latest on or before the 30th day after the award of the work. The EMD of the successful bidder would be returned, without any interest whatsoever, after the receipt of Performance Security from them as called for in the contract. EMD is not required to be deposited by those Bidders who are registered MSME, etc. The EMD will be forfeited if the bidder withdraws or amends, impairs or derogates from the tender in any respect within the validity period of their tender. The bidders found without EMD are liable for outright rejection.
- Security Deposit: On receipt of the Letter of intent (LOI), the successful bidder shall furnish 3 % of the contract value as security deposit in the form of Fixed Deposit Receipt from Nationalized Bank or Bank guarantee from Nationalised Bank. The Security deposit shall be valid for a period of fifteen days beyond the defect liability

period.

- 12. Payment Terms: Payment will be made on actual measurement basis & 100% payment will be released after satisfactory completion of work. All statutory deductions like TDS, GST as applicable rules shall be made from the due payment of the bidder.
- 13. Scope of work The scope of work for Renovation/recharge of Rain water harvesting is placed at Annexure I.

Note:-

(v)

All fitting must be covered while performing work.

Contractor is expected to train his labour to carry out the work in peaceful (ii) manner without any disturbance to employees of the Institute.

Removal and disposal of waste materials and debris away from the (iii)

Institute campus, is the responsibility of the contractor.

Fixture which are marked as 'Fixture to be retained and reused' are to be (iv) safely dismantled and re-fitted by the contractor within the scope of work, without any extra cost. Also, any damage to such fixture in removal/re-fitting will be at the cost of contractor.

The contractor has to make arrangements for cleaning the work site every

day and on completion of the work from the work area at his cost.

The contractor shall be paid on the basis of the actual quantity of (vi) completed work as per the scope of work.

14. Eligibility:

(i) Bidder should have satisfactorily completed one similar work in Central Autonomous Body/Central PSU/ Central Undertaking Body/ /Educational Institute).

Firm should produce completion certificate of such works from organization

/Autonomous body.

Definition of similar work: Firm must be in the field of civil engineering, installation, Commissioning and repair etc.

Firm must have valid GST registration & Operational current account in any

nationalized bank.

Pre-qualification sheet:-15.

Sno	Parameter	Page No.	Document attached (Yes/NO)
(a)	Work order		
(b)	Completion certificate		
(c)	Current Account		
(d)	PAN & GST Number		

Liability to Damage: Contractor shall be fully responsible for safety & security to his workers. Contractor has to give written undertaking that he will be fully responsible for any accident/misshaping occurred during the work & he will indemnity MP-IDSA in case of any accident.

Dispute Resolution. 17.

Any dispute and or difference arising out of or relating to this contract will be resolved through joint discussion of the authorities' representatives of the concerned parties. However, if the disputes are not resolved by joint discussions, then the matter will be referred for adjudication to a sole Arbitrator appointed by the Principal Secretary / Secretary (of the Administrative Department), Government of NCT of Delhi.

The award of the sole Arbitrator shall be final and binding on all the parties. The arbitration proceeding's shall be governed by Indian Arbitration and

Conciliation Act 1996 as amended from time to time.

(c) The cost of Arbitration shall be borne by the respective parties in equal proportions. During the pendency of the arbitration proceeding and currency of contract, neither party shall be entitled to suspend the work/service to which the dispute relates on account of the arbitration and payment to the contractor shall continue to be made in terms of the contract. Arbitration proceedings will be held at Delhi/New Delhi only.

Additional Conditions

- (A) All the T& P is to be arranged by Contractor and nothing extra shall be paid on this account
- (B) The contractor shall make his own arrangement for making electric connections to equipment like drill machine etc. If any.
- (C) The Contractor shall be bound to follow the restrictions on the movement of labour, at MP-MP-IDSA campus due to security or any other reason(s). No Claim shall be entertained on this account.
- (D) The contractor shall personally responsible for violation of any guidelines and shall have to pay the fine /penalty imposed by appropriate authority. No claim on this account shall be entertained.
- (E) TDS & GST will be deducted as per applicable rules.
- (F) The contractor shall be fully responsible for safe custody of the material even if the materials are under double lock system.
- (G) Quantity can be increased or decreased depending upon the requirements.
- (H) Contractors are advised to Visit the site and condition before quoting. After opening the bids no request will be entertained with regards to site conditions, security restrictions, etc. Night stay shall not be permitted.

Director General, MP-MP-IDSA reserves the right to accept or reject the lowest or any offer or all offers without assigning any reasons thereto.

Please acknowledge.

Yours sincerely,

Col. Rajeev Agarwal (Retd.) Assistant Director (Admin)

Form of Quotation (Note: the appendix forms the part of the Quotation)

To,

MP-MP-IDSA No 1, Development Enclave Rao Tularam Marg, New Delhi-110010.

Sir,

Name of work: Renovation/recharge of Rain water harvesting .

- 1. Having visited the site condition and examined the conditions of contract, specifications and schedule of quantities for the above named work, we offer to undertake and complete the whole of subject work in conformity with the said conditions of the contract and schedule of quantities of this quotation.
- 2. We undertake to complete and deliver the whole of the work comprised in the contract within the time limit.
- 3. We have independently considered the amount of liquidated damages shown in the appendix hereto and agree that it represents fair estimates of loss likely to be suffered by you in the event of the works not being completed properly.
- 4. Unless and until a formal agreement is prepared and executed, this quotation together with your written acceptance thereof shall constitute a binding contract between us.
- 5. We understand that if our quotation is accepted, we are to be jointly and severally responsible for the due performance of the contract.

			/ of	
Duly author	prized to sig	n for and o	n behalf of	
	l address of K CAPITALS		er.	

Dated Day of

Annexure II

Financial Bid

RENOVATION/RECHARGE OF RAIN WATER HARVESTING TANK

To be filled properly, reasonably. The rates should be filled in prescribed format excluding GST.

Sn o	Description	Area (Job/ Sqm/ CUM)	Rate per Job/ Sqm/ CUM) in Rs.	Total Amount (Rs)
(1)	Rain water harvesting pits cleaning uplifting of sludge along with filter media(Gravel, pebble and sand). Washing with high pressure washing machine of all internal tank surface including disposal of sludge malwa outside of the campus.	2 Job		
(ii)	Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/ bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level.	1 1		
(iii)	Supplying, filling, spreading & leveling gravels of size range 5 mm to 10 mm, in the recharge pit, over the existing layer of boulders, in required thickness, for all leads & lifts, all complete as per direction of Engineer-in-charge	7.5 CUM		

(iv)	Supplying, filling, spreading & leveling coarse sand of size range 1.5 mm to 2 mm in recharge pit, in required thickness over gravel layer, for all leads & lifts, all complete as per direction of Engineer - incharge	7.5 CUM	
(v)	Providing and fixing suitable size threaded mild steel cap or spot welded plate to the top of bore well housing/ casing pipe, removable as per requirement, all complete for bore well	2 Nos.	
(vi)	Constructing brick masonry manhole in cement mortar 1:4 (1 cement: 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement: 4 coarse sand (zone-III): 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design: Inside size 120x90cm and 90 cm deep including C.I cover with frame 500 mm internal diameter, total weight of cover 58 kg and weight of frame 58 kg		
(vii)	Supply and laying of Geo Textile Membrane	9 Sqm	

	Grand Total	
Total amount in words:		

Signature of Bidder with stamp

Note: -

- 1. The amount quoted should be exclusive of GST. Conditional Tenders will be rejected.
- 2. The contractor shall include cost of supply & transportation of materials, labour, tools, etc. to the site.
- 3. If any discrepancy found in quoting the financial bid in words and figures, the higher quoted amount will be considered.
- 4. GST & TDS will be deducted as per rules from the quoted amount and may be catered for while quoting the rates.

	ENOVATION/RECHARGE OF RAIN WATER HARVE	STING	11-14
Sno.		Qty.	Unit
(i)	Rain water harvesting pits cleaning upiliting of sludge along with filter media(Gravel, pebble and sand). Washing with high pressure washing machine of all internal tank surface including disposal of sludge malwa	2	Job
(ii)	Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/ bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metro depth below ground level.		metre
(iii)	Supplying, filling, spreading & leveling gravels of size range 5 mm to 10 mm, in the recharge pit, over the existing layer of boulders, in required thickness, for all leads & lifts, all complete as per direction	7.5	Cum
(iv)	Supplying, filling, spreading & leveling coarse sand of size range 1.5 mm to 2 mm in recharge pit, in required thickness over grave layer, for all leads & lifts, all complete as pedirection of Engineer -incharge	el 7.5 er	cum
(v)	Providing and fixing suitable size threade mild steel cap or spot welded plate to the to of bore well housing/ casing pipe, removable as per requirement, all complete for bore we	le Z	each

coat of neat cement complete as per standard design: Inside size 120x90cm and 90 cm deep including C.I cover with frame 500 mm		
channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating		
coarse sand (zone-III): 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished with floating coat of neat cement and making	1	job
Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4		